

SOPRAMASTIC



ACCESSORY
PRODUCTS

APPLICATIONS

ROOFS

FOUNDATIONS

WALLS

TECHNICAL DATA SHEET

ANZ-TDS-43-SOPRAMASTIC

DESCRIPTION

SOPRAMASTIC is a black, solvent-based mastic containing SBS modified bitumen, fibres and mineral fillers. It is an ideal complement for bituminous waterproofing membranes and is used as jointing mastic, caulking material and joint filler. It is compatible with bituminous materials and ensures good waterproofing.

SOPRAMASTIC is a multi-purpose mastic that has been formulated with a high level of polymer in order to resist flow at high temperatures. Furthermore, it is easy to manipulate at temperatures down to -10°C.

INSTALLATION PROCEDURE

SUBSTRATE:

- **SOPRAMASTIC** have an excellent adhesion on a wide variety of surfaces without a primer. It can be applied on damp surfaces.

APPLICATION:

- **SOPRAMASTIC** must be applied to clean, sound substrates
- **SOPRAMASTIC** tubes can be used with a standard cartridge extruder.

FOR COMPLETE INFORMATION ON PRODUCT INSTALLATION, PLEASE CONSULT YOUR SOPREMA REPRESENTATIVE.

PACKAGING

SPECIFICATIONS	SOPRAMASTIC
Physical state	Viscous
Base	SBS modified bitumen
Colour	Black
Container	0.310 L / 0.800 L / 10 L
Units per Pallet	1200 / 576 / 60

PROPERTIES

PROPERTIES	SOPRAMASTIC
Specific Gravity at 20°C	1.12 kg/L
Application temperatures	-10 to 35°C
Service temperatures	-40 to 80°C
Solids by weight	83%
Setting time	Between 4 and 24 hours, depending on temperature and quantity applied.

STORAGE AND HANDLING

Shelf life: Up to 36 months in original sealed containers. Tools can be cleaned with petroleum solvents such as mineral spirits, varsol, xylene, etc. **SOPRAMASTIC** is a flammable product. Store in a cool, dry area.

STATEMENT OF RESPONSIBILITY

The technical information and application advice given in this publication is based on the present state of our best knowledge. As the information herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by Commonwealth or State Legislation. The owner, their representative or the contractor is responsible for checking the suitability of products for their intended use.



SOPREMA.COM.AU • +61 (3) 9221 6230

TDS_SOPRAMASTIC_06-2021_RA

1/1