

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** UZIN KR 430 Comp. A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No special requirements.
- **Sector of Use**  
 SU19 Building and construction work  
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
 For professional use only.
- **Product category** PC1 Adhesives, sealants
- **Application of the substance / the mixture** 2-Comp. Polyurethane Adhesive (Component A)
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 Producer:  
 UZIN UTZ AG  
 Dieselstraße 3  
 D-89079 Ulm  
 Phone.: +49 (0)731 4097-0  
 Fax: +49 (0)731 4097-110  
  
 Supplier in the UK:  
 Uzin Utz UK Ltd.  
 Unit 2, Mitchell Court  
 Central Park, Rugby  
 Warwickshire, CV23 0UY,  
 Telephone +44 (0) 1788 530 080  
 Fax +44 (0) 1788 536508  
 Email info@uk.uzin-utz.com
- **Further information obtainable from:**  
 Product safety department  
 email: msds.info@uzin-utz.com
- **1.4 Emergency telephone number:**  
 Medical emergencies (GIZ-Nord Poisons Center): +49 551 19240  
 Transportation emergencies: +49 621 60 43 333

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
 The product is not classified, according to the CLP regulation.
- **Additional information:** Also observe the safety data sheet of component B.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

GB

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. A**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

· **Description:** Polyurethane Adhesive (Component A)

#### · Dangerous components:

CAS: 111-46-6	2,2'-oxybisethanol	⚠ Acute Tox. 4, H302	1-<3%
EINECS: 203-872-2			
Reg.nr.: 01-2119457857-21			

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### · General information:

No special measures required.

However, also observe the safety data sheet of component B.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

Also observe the safety data sheet of component B.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### · Suitable extinguishing agents:

CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

##### · 5.3 Advice for firefighters

· **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Wear suitable protective clothing, gloves and eye/face protection.

Immediately remove all soiled and contaminated clothing

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. A**

(Contd. of page 2)

*Avoid contact with the eyes and skin.*

*Keep away from foodstuffs, beverages and feed.*

*Wash hands before breaks and at the end of work.*

*Also observe the safety data sheet of component B.*

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep container tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 111-46-6 2,2'-oxybisethanol**

**WEL** Long-term value: 101 mg/m<sup>3</sup>, 23 ppm

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

*The usual precautionary measures are to be adhered to when handling chemicals.*

*Immediately remove all soiled and contaminated clothing*

*Avoid contact with the eyes and skin.*

*Wear suitable protective clothing, gloves and eye/face protection.*

*Keep away from foodstuffs, beverages and feed.*

*Wash hands before breaks and at the end of work.*

*Also observe the safety data sheet of component B.*

· **Respiratory protection:**

*Not necessary. Ensure that room is well-ventilated during processing.*

*Respiratory protection required in insufficiently ventilated working areas. An air-fed mask, or for short periods of work, a combination of charcoal filter and particulate filter is recommended (A2-P2).*

· **Hand protection**



*Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)*

· **Material of gloves**

*Butyl rubber, BR*

*Nitrile rubber, NBR*

*Recommended thickness of the material: ≥ 0.5 mm*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye/face protection**



*Tightly sealed goggles or face protection (EN 166)*

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: UZIN KR 430 Comp. A

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Physical state	Fluid
· Colour:	Beige
· Odour:	Light
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	180,000 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.4 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

#### · 9.2 Other information

· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.

#### · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

(Contd. on page 5)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. A**

(Contd. of page 4)

· **Desensitised explosives**

Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:** Also observe the safety data sheet of component B.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:** Also observe the safety data sheet of component B.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Do not allow product to reach sewage system.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. A**

(Contd. of page 5)

Mix both product components, allow to harden, then dispose of as construction waste.  
Disposal should be in accordance with local, state or national legislation.

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

### SECTION 14: Transport information

· 14.1 UN number or ID number	-
· ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	-
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	-
· ADR, ADN, IMDG, IATA	Void
· Class	Void
· 14.4 Packing group	-
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.
- **Department issuing SDS:** Product safety department

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

**Trade name: UZIN KR 430 Comp. A**

(Contd. of page 6)

**· Contact:***Product Safety Department**Phone: +49 (0)731 4097 207**E-mail: msds.info@uzin-utz.com***· Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organisation**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4***· \* Data compared to the previous version altered.**

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** UZIN KR 430 Comp. B
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No special requirements.
- **Sector of Use**  
 SU19 Building and construction work  
 SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
 For professional use only.
- **Product category** PC1 Adhesives, sealants
- **Application of the substance / the mixture** 2-Comp. Polyurethane Adhesive (Component B)
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 Producer:  
 UZIN UTZ AG  
 Dieselstraße 3  
 D-89079 Ulm  
 Phone.: +49 (0)731 4097-0  
 Fax: +49 (0)731 4097-110  
  
 Supplier in the UK:  
 Uzin Utz UK Ltd.  
 Unit 2, Mitchell Court  
 Central Park, Rugby  
 Warwickshire, CV23 0UY,  
 Telephone +44 (0) 1788 530 080  
 Fax +44 (0) 1788 536508  
 Email info@uk.uzin-utz.com
- **Further information obtainable from:**  
 Product safety department  
 email: msds.info@uzin-utz.com
- **1.4 Emergency telephone number:**  
 Medical emergencies (GIZ-Nord Poisons Center): +49 551 19240  
 Transportation emergencies: +49 621 60 43 333

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Carc. 2 H351 Suspected of causing cancer.
- STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

- Acute Tox. 4 H332 Harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. B**

(Contd. of page 1)

· **2.2 Label elements**· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Danger· **Hazard-determining components of labelling:**

Diphenylmethanediisocyanate, isomeres and homologues

· **Hazard statements**

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· **Additional information:**

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

· **2.3 Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**· **Description:** Polyurethane Adhesive (Component B)· **Dangerous components:**

CAS: 9016-87-9	Diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; C ≥ 5 %	75-100%
----------------	--	---------

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. B**

(Contd. of page 2)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

##### · 4.1 Description of first aid measures

###### · **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

###### · **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

###### · **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

###### · **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

###### · **After swallowing:** Do not induce vomiting; call for medical help immediately.

##### · 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Asthma attacks

##### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

##### · 5.1 Extinguishing media

###### · **Suitable extinguishing agents:**

CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

###### · **For safety reasons unsuitable extinguishing agents:** Water with full jet

##### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

##### · 5.3 Advice for firefighters

###### · **Protective equipment:** Mouth respiratory protective device.

#### SECTION 6: Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

##### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

##### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

##### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

##### · 7.1 Precautions for safe handling

Wear suitable protective clothing, gloves and eye/face protection.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. B**

(Contd. of page 3)

- Wash hands before breaks and at the end of work.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Protect from humidity and water.
  - Once opened unfinished quantities must be stored in airtight packaging conditions.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues**

<i>WEL</i>	Short-term value: 0.07 mg/m <sup>3</sup>
	Long-term value: 0.02 mg/m <sup>3</sup>
	Sen; as -NCO

#### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
  - Immediately remove all soiled and contaminated clothing
  - Avoid contact with the eyes and skin.
  - Wear suitable protective clothing, gloves and eye/face protection.
  - Keep away from foodstuffs, beverages and feed.
  - Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.
  - Wash hands before breaks and at the end of work.
- **Respiratory protection:**
  - Not necessary. Ensure that room is well-ventilated during processing.
  - Respiratory protection required in insufficiently ventilated working areas. An air-fed mask, or for short periods of work, a combination of charcoal filter and particulate filter is recommended (A2-P2).
- **Hand protection**



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)

#### · **Material of gloves**

Butyl rubber, BR  
Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mm

#### · **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: UZIN KR 430 Comp. B

(Contd. of page 4)

## · Eye/face protection



Tightly sealed goggles or face protection (EN 166)

## SECTION 9: Physical and chemical properties

## · 9.1 Information on basic physical and chemical properties

## · General Information

· Physical state	Fluid
· Colour:	Brown
· Odour:	Light
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>200 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	250 mPas
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 25 °C:	0.0001 hPa
· Density and/or relative density	
· Density at 20 °C:	1.4 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

## · 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	400 °C
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.

## · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: UZIN KR 430 Comp. B

(Contd. of page 5)

· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
From approx. 260°C, polymerization and separation of CO<sub>2</sub>
- **10.3 Possibility of hazardous reactions**  
May produce violent reactions with bases and numerous organic substances including alcohols and amines. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.
- **10.4 Conditions to avoid** Avoid heating to above 40°C and cooling to below 10°C.
- **10.5 Incompatible materials:**  
Uncontrolled exothermic reactions occur with amines and alcohols.  
During storage, avoid moisture contamination.
- **10.6 Hazardous decomposition products:**  
In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.

#### · LD/LC50 values relevant for classification:

**CAS: 9016-87-9 Diphenylmethane diisocyanate, isomers and homologues**

Dermal	LD50	>9,000 mg/kg (rat) (OECD 404)
Inhalative	LC50/4 h	0.49 mg/l (rat) (OECD 403)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. B**

(Contd. of page 6)

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

*Diphenylmethane-diisocyanate, isomers and homologues*

*Carcinogenicity: May cause cancer by inhalation. On the basis of these data classification as carcinogenic is therefore required (H351).*

*Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.*

*Teratogenicity: Did not show teratogenic effects in animal experiments.*

*Reproductive toxicity/Fertility: Based on available data, the classification criteria are not met.*

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

*None of the ingredients is listed.*

## **SECTION 12: Ecological information**

- **12.1 Toxicity**

- **Aquatic toxicity:**

**CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues**

LC50/96h >1,000 mg/l (Danio rerio)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

*The product does not contain substances with endocrine disrupting properties.*

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:** Do not allow product to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**

- **Recommendation**

*Do not allow product to reach sewage system.*

*Mix both product components, allow to harden, then dispose of as construction waste.*

*Disposal should be in accordance with local, state or national legislation.*

- **Uncleaned packaging:**

- **Recommendation:**

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.*

## **SECTION 14: Transport information**

- **14.1 UN number or ID number**

- **ADR, ADN, IMDG, IATA**

Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA**

Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class**

Void

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

Trade name: **UZIN KR 430 Comp. B**

(Contd. of page 7)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications. Avoid heating to above 40°C and cooling to below 10°C.
· <b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **REGULATION (EU) 2019/1148**

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH204 Contains isocyanates. May produce an allergic reaction.

- **Recommended restriction of use** For professional use only.

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- **Department issuing SDS:** Product safety department

· **Contact:**

Product Safety Department  
Phone: +49 (0)731 4097 207  
E-mail: msds.info@uzin-utz.com

(Contd. on page 9)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 04.02.2022

Version No. 8

Revision: 04.02.2022

**Trade name: UZIN KR 430 Comp. B**

(Contd. of page 8)

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Resp. Sens. 1: Respiratory sensitisation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Carc. 2: Carcinogenicity – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

**· \* Data compared to the previous version altered.**

GB